

DATA SHEET MULTIFUNCTIONAL TRAINER GLULAM

Text for invitation to tender | Item No: 55 1005 602



MATERIALS | SCOPE OF SUPPLY

Fitness equipment, final installation on location


Wood bows:	structural composite lumber, larch, with post shoe made of stainless steel, V2A, 3 pieces
Head part:	stainless steel V2A, 1 piece
Tubular frame:	stainless steel, V2A, 3 pieces
Tube end caps:	balls made of EPDM ca-outchouc, 18 pieces
Foundation plates:	steel, coated
Instruction sheet:	stainless steel, aludibond, 1 piece

TECHNICAL INFORMATION

Dimensions:

Main dimension:	Ø 4500 mm
Height:	2600 mm
Weight:	740 kg
Capacity:	acc. to normative requirements
Dimension largest piece:	3720 x 1900 x 2660 mm
Heaviest piece:	65 kg

Max. fall height:	1500 mm
Movement area:	50,27 m ²
Required safety slabs:	64,00 m ²
Required lawn grating:	64,00 m ²
Recommended surface material:	grass, sand, wood chip, gravel, synth. impact protection



INSTALLATION

Foundations: 5
Modified installation depth possible (special edition)

Installation according to our detailed mounting instructions, see www.stilum.com

Please note the material information in the mounting- and maintenance instruction.

