DATA SHEET MULTIPLAY GRAVIS 1D

Text for invitation to tender | Item No: 51 5519 403



MATERIALS I SCOPE OF SUPPLY

Premounted climbing equipment, final installation on location

Tower: stainless steel, V2A, with

steel plateau which surface is made of EPDM granules, and roof made

of HDPE panel, 1 piece

Post: stainless steel, V2A,

3 pieces

Climbing net: Herkules rope/plastic,

1 piece

Slide: stainless steel, V2A, 1 piece

Slide caps: plastic, 2 pieces

Wobbel bridge: Herkules rope/plastic/

wood, 1 piece

Climbing wall: stainless steel, V2A, with 2

HDPE panels, 1 piece

Support tube: stainless steel, V2A,

2 pieces

Balls: EPDM granules, 3 pieces

Foundation plates: steel, coated

INSTALLATION

Foundations: 7

Installation according to our detailled mounting instructions, see www.stilum.com

TECHNICAL INFORMATION

Dimensions:

Main dimension: 5850 x 3860 mm

Height: 3320 mm Weight: 580 kg

Capacity: acc. to normative re

quirements

Dimension largest piece: Ø1410 x 1900 mm

Heaviest piece: 170 kg

Max. fall height: 1500 mm Impact area: 47,60 m²

Required safety slabs: min. 52,75 m²

 $(\Box 57,50 \text{ m}^2)$ 62,00 m²

Required lawn grating:

Recommended

surface material: sand, wood chip,

gravel, synth. impact

protection











