

DATA SHEET MULTIPLAY GRAVIS 4B

Text for invitation to tender | Item No: 51 5519 442



MATERIALS | SCOPE OF SUPPLY

Climbing equipment, final installation on location

| | |
|----------------------|--|
| Tower: | stainless steel, V2A, with steel plateau which surface is made of EPDM granules, and roof made of HDPE panel, 4 pcs. |
| Post: | stainless steel, V2A, 12 pieces |
| Climbing net: | Herkules rope/plastic, 1 piece |
| Climbing balls: | stainless steel, V2A, with 4 balls made of EPDM granules, 1 pc. |
| Layaway bow: | stainless steel, V2A with 12 caps made of plastic, 3 pcs. |
| Climbing eye: | stainless steel, V2A, 1 piece |
| Climbing wall: | stainless steel, V2A, with 2 HDPE panels, 3 pieces |
| Wobble bridge: | Herkules rope/plastic/wood, 3 pieces |
| Parallel bars slide: | stainless steel, V2A, 1 piece |
| Sliding bow: | stainless steel, V2A, 1 piece |
| Slide: | stainless steel, V2A, 1 piece |
| Caps: | plastic, 2 pieces |
| Decoration ball: | EPDM granules, 7 pieces |
| Foundation plates: | steel, coated |

INSTALLATION

Foundations: 22

Installation according to our detailed mounting instructions, see www.stilum.com

TECHNICAL INFORMATION

Dimensions:

| | |
|--------------------------|--------------------------------|
| Main dimension: | 16300 x 14900 mm |
| Height: | 3320 mm |
| Weight: | 1915 kg |
| Capacity: | acc. to normative requirements |
| Dimension largest piece: | 2550 x 700 x 3500 mm |
| Heaviest piece: | 185 kg |

| | |
|-------------------------------|---|
| Max. fall height: | 2200 mm |
| Impact area: | 143,20 m ² |
| Required safety slabs: | min. 159,25 m ² (□215,75 m ²) |
| Required lawn grating: | min. 190,00 m ² (□232,00 m ²) |
| Recommended surface material: | sand, wood chip, gravel, synth. impact protection |

