

# DATA SHEET SWING SIMIUS 3 BIRDNET

Text for invitation to tender | Item No: 51 2027 403



## MATERIALS | SCOPE OF SUPPLY

Swing, final installation on location  
Fixation of the swing chains necessary

Tubular frame:	stainless steel, V2A, 4 pieces EPDM caoutchouc ball at the end of the tubes, 2 pieces
Swing seat:	EPDM caoutchouc with steel inlay, 2 pieces
Chains:	stainless steel, length 1.80 m, each seat 2 pieces
Swing birdnet:	Usacord Ø 120 cm, 1 piece
Swing suspension:	chain and Herkules-rope, length 1.40 m
Foundation plate:	steel, coated

## TECHNICAL INFORMATION

Dimensions:

Main dimension:	7610 x 1200 mm
Height:	2450 mm
Weight:	510 kg
Capacity:	acc. to normative requirements
Dimension largest piece:	2330 x 600 x 2900 mm
Heaviest piece:	110 kg

Max. fall height: 1500 mm

Impact protection

Impact area: 58,52 m<sup>2</sup>

Required safety slabs: 56,00 m<sup>2</sup>

Required lawn grating: 56,00 m<sup>2</sup>

Recommended  
surface material: sand, wood chip, gravel, synth.  
impact protection

## INSTALLATION

Foundations: 2

Installation according to our detailed mounting  
instructions, see [www.stilum.com](http://www.stilum.com)

